Attorney's Docket No.: 12732-325US1 / PCTUS7354

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Hajime KIMURA

Art Unit : Unknown Examiner : Unknown

Serial No. : New Application

Filed : March 8, 2006
Title : SEMICONDUCTOR DEVICE AND DRIVING METHOD OF THE SAME

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

APPENDIX - DESCRIPTION OF THE NUMERALS

46/48

DESCRIPTION OF THE NUMERALS

(")

1002 transistor, 1002Z dummy transistor, 1003 capacitor, 1006 wiring, current source, 101aa transistor, 101Z dummy current source, 101Zaa transistor, 101Zab transistor, 101Zba transistor. 102 transistor. 102aa transistor, 102b transistor, 102Z transistor. dummy 103 capacitor. 103a transistor, 102Zaa transistor, 102Zba transistor, capacitor. 104 wiring, 104aa wiring, 104Z wiring, 103b capacitor. 105 wiring. 105Z wiring, 106 wiring, 107 wiring, 1102 transistor. 1102Z dummy transistor, 1103 capacitor, 1106 wiring, 10 111 precharge 111a precharge circuit, 112 precharge switch, 112a precharge circuit. 112aa P-channel transistor, 112b precharge switch. 112ha switch. 113a wiring, 113aa wiring, 113b N-channel transistor. 113 wiring. 114 comparison control circuit, 114a comparison control circuit, wiring, 114aa operational amplifier, 114b comparison control circuit, 114ha 15 operational amplifier. 115 output terminal. 115a output terminal, 115b 116 input terminal, 116a input terminal, 116aa input output terminal. 116b input terminal, 116ba input terminal, 117 input terminal, terminal, 117aa input terminal, 117b input terminal, 117a input terminal, 117ba 20 input terminal. 118 wiring, 118a wiring, 118b wiring. 1201 voltage 1204 wiring, 13001 housing, 13002 support base. 13003 source. 13005 video input terminal. display portion, 13004 speaker portions, 1301 13101 main body. 13102 display portion, current source. 1304 wiring. external image receiving portion, 13104 operating keys, 13105 13201 main body, 13202 connecting port, 13106 shutter. 25 display portion, 13204 keyboard, 13205 external connecting port, 13203 13206 pointing mouse, 13301 main body, 13302 display portion, 13303 13304 operating keys, 13305 infrared port, 13401 main body, switch.

1)

()

13402 housing, 13403 display portion A, 13404 display portion B, operating key, 13407 speaker portion, 13501 main body, 13502 display 13503 arm portion, 13601 main body, 13602 display portion, 13603 housing. 13604 external connecting port, 13605 remote control receiving portion, 13606 image receiving portion, 13607 battery, 13608 13701 main body. audio input portion. 13609 operating keys. 13702 13703 display portion, 13704 audio input portion, 13705 audio 13706 operating key, 13707 external connecting port, output portion, 1501 graph. 1502 graph, 1503 graph, 13708 antenna. 1612 switch. 1714 control circuit, 1715 output terminal, 1717 input terminal for control, 10 1811 precharge circuit, 1812a precharge switch, 1812b precharge switch. 1813a wiring, 1813b wiring. 1814 comparison control circuit, output terminal, 1815b output terminal, 1816 input terminal. 1817 input voltage source, terminal. 1818 wiring, 1901a voltage source, 1901b wiring, 1904b wiring, 1912a switch. 1912b switch. 201 15 1904a 2015 output terminal, load. 2013 circuit. 2014 comparison control circuit, 2017 input terminal, 2018 wiring, 201a load, 2016 input terminal. 2020 terminal. 2021 terminal, 202a switch, 202aa switch. 201b load. 202ь switch. 203 switch. 203a switch. transistor. switch. 204 switch, 204a switch, 20 203aa transistor. 203ь 204aa 204b switch, 2111 precharge circuit, 2112 switch, 2113 transistor. 2214 operational amplifier, 2214a operational amplifier, 2214b operational amplifier, 2614 chopper inverter comparator, 2621 inverter, 2623 switch, 2624 switch, 2625 switch, 2626 capacitor. switch, 2721 inverter, 302 transistor, 3101 switch. 3102 switch. 25 3104 capacitor, 3504a unit circuit, 3504aa unit circuit, 3103 switch. unit circuit. 3601 wiring, 3604 wiring, 3604aa wiring. 3701 pixels, 3702 gate driver, 3703 shift register, 3704 latch circuit, 3705

48/48

latch circuit, 3706 digital-analog converter circuit, 3708 video signal line, 3709 latch control line, 3710 signal driver circuit, 3714 reference current 4301 current source, 4302 transistor, 4303 capacitor, source circuit, 4305 wiring, 4307 wiring, 4311 voltage source, 4304 wiring, 4321 means, 501 switch, 601 source signal line, first 604 third gate signal line, gate signal line, 603 second gate signal line, 605 current supply line, 606 TFT, 607 TFT, 608 TFT, 609 TFT, 610 capacitor, 611 EL element, 612 current source for inputting a video signal, 901Z dummy current source, 902 transistor. 902Z 901 current source, dummy transistor. 903 capacitor, 904 wiring, 904Z wiring, 905 906 wiring, 905Z wiring, 907 wiring.